



U.S. Department of Transportation

National Highway Traffic Safety Administration

## Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

\*\*\* \*\*\* \*\*\*



# SUMMARY OF CASE

MONTH/YEAR OF ACCIDENT

VEHICLE PROFILES

NO.	TYPE	YEAR	MAKE	MODEL	DAMAGE	
/	car	<b>ን</b> ን	Buile	Electra	major rea moderate + sedes	front ind
	Stator	82	Plymont	L. Rebaut	major f	

ERSON PROFIL

		MAYTA	YNULNI MUI	
ROLE RESTRAINT USE	VIOLATIONS CHARGED	AIS	BODY AREA	NATURE
ROLE RESTRAINT USE	none	. /	face	Sacratio
pro # yes	none	/	eyelid	Sacration


NARRATIVE DESCRIPTION OF THE ACCIDENT (paths of vehicles, location and nature of collision(s), post-crash trajectories and other factors)

V, was disabled + parked without a driver

US Department of Transportation National Highway Traffic Salety Administration

## Accident Collision Measurement Table

Primary Sampling Unit Number  8 7	Reference Point: No parking sign				
Case Number 1 5 9 B	Reference Line:	pline			
Item	Distance and Direction	Distance and Direction from Reference Line			
Couldn't stop to look for evidence on expressivay	from Reference Point	HOM Reference Line			
		-			



1<sup>8</sup> = 20<sup>1</sup>

# National Accident Sampling System - Continuous Sampling Subsystem: Vehicle Data

#### FIELD MEASUREMENTS

				Comple	te Whe	n Appli	cable						
	Eı	nd Damage							Side	e Dama	ige		
Und	eformed end width	72				Во	owing:	B1		X1/	<u></u>		
	Corner shift: A1							B2		x/2			
	Δ2	37				Boy	wing co	onstant		/			
End sh	ift at frame (CDC)						_	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	V				
(check	one) <4 inches				İ	$\frac{X1+}{2}$	<u>X2</u> =	=	A				
	≥4 inches								<u>/                                    </u>				
		_											
N	ote: Measure C1 to Rear to Front			_				_		1 -	_	$\lambda$	
str	inpline ./	-	out	$\leq \epsilon$	E	0	IHE	12	>/,	DE			. Δ.
Specific			Damage		_			_				1 +11	
Impact Number	Plane* of C-Measurements	Width** (CDC)	Max*** Crush	Field L**	C	C <sub>2</sub>	C <sub>3</sub>	C₄	C,	C <sub>6</sub>	±D	Upu	, pi
1		- 52	C,	36	45	4275	4/25	38.25	35,75	8	0	on	sit
/	Mehr Jumpen	2 30			0	2		Ī-				l v	
	fre space				45	i	39.25	36.25	33.75	8	+		
	aush			-	45.1	40.85	39.35	36.25 +.1 36.35	33.85	35	+45		
	right side	69		69							front a	4.5 Le	denn W
	Ist ride	æ5		51			! !		(+1	3.95	front o	ه. د. ما مال	din_
	7		0.		,25	518	13/8	25/8	6/8		[ <i>0</i> -	le & goe	·
<u>2</u>	front burg	<u> </u>	<u>C</u> 6	32.5			11/8				starts at	tenten +	-gou
	fue spore				,25	.5	1 8	2	3	3,25	-		
	ady crush			<u></u>	0	.12		. 63		7	+16.25	<b>P</b>	
*Identify	the plane at whic	h the C-me	asurements a	are takei	n te g	at bum	per, ab	ove bu	nper, a	م النج	bove sill,		
at belti	ine, etc.) or label a	adjustments	(e.g., iree s	space). (	• /	.22		.73			Right	- Dad	نعُ
	pace value is define al C locations. This											impl	re
	ecord the value for	•		_	-		прет та	per, siu	e prou	uoiVil, i	uper, -l	is a	>
*Measu	re and document or	n the vehicle	e diagram th	ne begin	ning or	end of	the dir	ect dam	age wi	dth and	field LCo	ntinu	ate
(0.00.0	side damage with r	espect to ur	idamaged ax	le.)		· · · · · ·					n.	from	ta

Note: Use as many lines/columns as necessary to describe each damage profile.

above bumper rea +3.75 +475 5.0 6.25 6.75 24.5 free space 22.5 ady crush

AVERAGE C6 at rear bumper

at bunger 8.1 above 22.5 15.3

FINAL C'S 45.1 40.85 39.35 31.35 33.85 15.3 Near bumper

US Department of Transportation National Highway Traffic Safety Administration

NATIONAL ACCIDENT SAMPLING SYSTEM - CONTINUOUS SAMPLING SUBSYSTEM **VEHICLE** 

Page 6A

TYPE OF TRANSMISSION WHEEL STEER ANGLES **DAMAGE DESCRIPTION** (For locked front wheels or displaced Tire-Wheel Damage \_Automatic Manual rear axles only) a. Rotation physically b. Tire deflated Average Track: 61.25 restricted RF ± \_\_\_\_\_ RF <u>2</u> LF <u>2</u> RR <u>2</u> RF 2 LF ± \_\_\_\_\_ LF 2 Curb Weight: <u> 3945</u> RR ± \_\_\_\_\_\_\_ RR Z Overall Length: \_\_\_\_\_\_\_. LR 40 00 LR \_/ Within ±5 degrees (1) Yes, (2) No, (8) NA, (9) Unk. Engine Size: cyl. \_\_\_ displ. 350 cuin Cento Neus 知 Stringline EAD stroke =

Note: Sketch new perimeter and cross hatch direct damage and single hatch induced damage on all views. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on

If pulling trailer sketch type of trailer and damage received on the back of this page.

Annotate any damage caused by extrication such as component removal by torching, prying or hydraulic shears.

If the vehicle contacted a pedestrian, complete page 6R.

# National Accident Sampling System - Continuous Sampling Subsystem: Vehicle Data

NCI

Page 7

DBJECT CONTACTED  OO) Noncollision	(57) Bridge rail
01) through (30)	(58) Bridge parapet end
f the object contacted by the vehicle under consideration	(59) Guardrail - bridge rail transition
vas a motor vehicle in transport, code the Vehicle	(60) Guardrail end (non-median)
Number assigned to that vehicle	(61) Guardrail end (median)
Collision with Stationary Object	(62) Guardrail (non-median)
(31) Motor vehicle not in transport*	(63) Guardrail (median)
(32) Tree (≤6 inches in diameter)	(64) Concrete barrier (non-median)
(33) Tree (>6 inches in diameter)	(65) Concrete barrier (median)
Highway/Traffic Supports	(66) Other median barrier (specify):
(34) Luminaire - breakaway	
(35) Luminaire - nonbreakaway	(67) Other longitudinal barrier
(36) Large sign - breakaway	(non-median) (specify):
(37) Large sign - nonbreakaway	
(38) Small sign - breakaway	(68) Impact attenuator/Crash cushion
(39) Small sign - nonbreakaway	(69) Ground
(40) Utility pole	(70) Train
(41) Traffic signal pole	(71) Ditch
(42) Delineator	(72) Other stationary/fixed object
(43) Other post, pole or support	(specify):
(specify):	Collision with Nonstationary Objects
(44) Fence	(73) Animal
(45) Mail box	(74) Trailer, disconnected in transport
(46) Other movable object (specify):	(75) Train
	(76) Other nonstationary objects (specify):
(47) Culvert	
(48) Railroad tracks	(81) through (95)
(49) Curb	If the object contacted by the vehicle under consideration
(50) Abutment	was pedestrian or nonmotorist, add eighty (80) to the
(51) Wall (stone, rock, metal, etc.)	assigned Pedestrian & Nonmotorist Number, and code
(52) Embankment - earth	the resultant sum.
(53) Embankment - rock, stone or concrete	(96) Vehicle occupant
(54) Building, rigid	(97) Other object (specify):
(55) Building, nonrigid	
(56) Bridge pier or abutment	(99) Unknown

\*NOTE: For coding CDC or TDC investigators must refer to appropriate reference documents for accurate coding. If this vehicle impacted a vehicle not in transport, fill in the information for that vehicle at the end of the CRASH Program Summary.

## DEFORMATION CLASSIFICATION BY EVENT NUMBER

Event Number (this vehicle)	Object Contacted	(1) (2) Direction of Force (degrees)	Incremental Value of Shift	(3) Deformation Location	Specific Longitudinal or Lateral Location	Specific Vertical or Lateral Location	(6) Type of Damage Distribution	(19) Deformation Extent Guide	Event Number (in accident)	
1	1)2	180	00	<u>_/3</u>		E	W	05		1.2
<del>\$</del>									_ (	P
<b>⊇</b> ∉	62	360	00	Ē	R	7	<u>E</u> .	09	<u> </u>	>b7
3₺	02	350	<u>_</u>	<u> </u>	E	<u>W</u>	$\underline{\mathcal{N}}$	<u>_</u>	3 (	<b>/ / / /</b>
4 \$	02	350	ΩΩ	_	<u>Y</u>	E	5	<u> </u>	4	\
6					_	_	_		-/	′
7								<del></del>	_	

PSU/Case Number  $\frac{871598}{21}$ National Accident Sampling System - Continuous Sampling Subsystem: Vehicle Data Page 10 Second Third Third Third Other S Front Second Second Front Front RESTRAINT **Position** Seat: Seat: Seat: Seat: Seat: Seat: Seat: Seat: Seat: SYSTEM or Unit\* Middle Right Left Middle Right Middle Right Left Left Avail-3 3 MANUAL ability Indication 0 ے 3 0 0 0 of Usage Avail-AUTOability **MATIC Function** Automatic (Passive) Automatic (Passive) Manual Restraint System Manual Restraint System Restraint System Restraint System -Indication of Usage--Availability--Function--Availability-\_ (0) None available (0) None used \_\_\_\_ (0) Not equipped \_\_\_\_ (0) Not equipped (1) Shoulder belt \_ (1) Shoulder belt (1) Automatic belt in use \_\_\_\_ (1) Airbag (2) Automatic belt not in use (2) Lap belt (2) Lap belt \_\_\_\_ (2) Airbag disconnected (3) Lap and shoulder belt (3) Lap and shoulder belt \_\_\_ (3) Deployed airbag (3) Airbag not reinstalled (4) Motorcycle helmet (4) Motorcycle heimet (4) Non-deployed airbag \_ (4) Two point automatic belts (5) Child safety seat - car lap (5) Child safety seat (designed \_\_ (9) Unknown \_\_\_ (5) Three point automatic belt used properly without tether or unknown helts (6) Child safety seat - car lap design) \_ (6) Child safety seat (designed (6) Automatic belts destroyed Infant or Child Seat Orientation belt used improperly \_\_\_\_ (0) No infant or child seat or rendered inoperable with tether - tether not (specify):\_ \_\_\_\_(1) Rear facing (9) Unknown (7) Child safety seat used) (specify): (2) Forwarding facing unknown if car lap belt Infant or Child Restraint \_\_\_\_ (7) Other orientation (7) Child safety seat (designed used properly (specify): Make/Model with tether - tether used) Restraint used - type \_ (8) Unknown orientation Restraint available - type unknown or other (9) Unknown if restraint unknown or other (specify): Type of Infant or Child Restraint available (9) Unknown (specify):\_ \_\_ (0) No infant or child (9) Unknown Infant or Child Restraint restraint Harness/Shield Usage (1) Infant seat \_ (0) No infant or child (2) Child seat restraint (3) Convertible seat (1) Harness/shield used (4) Booster seat \_ (7) Other type seat (specify): (2) Harness/shield not used (8) Unknown harness/shield (8) Unknown type restraint usage \*Specify the Other Position (9) Unknown if restraint (9) Unknown if restraint or Unit referenced: available available INDICATIONS OF EJECTION If ejection is suspected or Ejection Medium Medium Status \_ Door (side) Open reported, indicate the avenue; Separation Door (rear) No ejection for multiple avenues number Closed, closed when them and utilize the same num-\_ Open roof structure damaged bers consistently throughout. Fixed windows Integral structure ripped Other medium type Ejection Area Unknown opened Windshield Roof Status known Operable windows Other area (e.g., sidecar, Left front \_ Roll down type Right front back of pickup, etc.) Hinged typed Left rear Unknown \_ Sliding type Right rear

Rear	Other type window	
	ALL AREAS of SUSPECTED OCCUPANT CONT  Other side object  INTERIOR Seat, back support Belt restraint system Head restraint system Air cushion Other occupants Interior loose objects Other interior object  ROOF Front header Rear header Roof side rails Roof or convertible top  FLOOR Floor Floor Floor console mounted transmission lever, including console Parking brake handle	REAR  Backlight (rear window) Backlight storage rack, door, etc. Other rear object  EXTERIOR OF OCCUPANT'S VEHICLE Noncycle Hood Outside hardware (e.g., outside mirror, antenna) Other exterior surface or tires Unknown exterior objects  CYCLE Handle bars or attachments Frame or suspension component or fender Seat Foot pedal, foot rest, foot pegs Wheel or tire Engine or transmission Gas tank, gas tank filling cap or neck Other cycle part
Window glass or frame	Foot controls including parking brake	


NCI

#### **VEHICLE INTERIOR**

#### POINTS OF OCCUPANT CONTACT

CONTACT	INTERIOR PART CONTACTED	SUPPORTING PHYSICAL EVIDENCE	Confidence Level of Contact Point
Α		No occupants in car	1 2
В			1 2
С			1 2
D			1 2
E			1 2
F			1 2
G			1 2
Н			1 2

If Additional Contact Points, Continue on Reverse Side



Sketch controls in appropriate positions, if contacted. Sketch and describe all occupant contact points (i.e., dents, skin transfer, etc.) and code on preceding page. Dash lines indicate center of instrument panel-windshield area and top of panel for reference purposes.

Codes for Confidence Level of Contact Point are: Certain - 1; and possible - 2.

National Accident Sampling System — Continuous Sampling Subsystem: Driver Data

Page 2

ACCIDENT DESCRIP	PTION INSTRUCTIONS
Do not interrupt person during general description (narrative summarize the narrative while minimizing any disruptions casked later. Write these questions down in the space below	of the person's internal logic. Specific questions may be
SPECIFIC QUESTION:	
GENERAL DESCRIPTION	OF ACCIDENT SEQUENCE
(This represents a synopsis of an ur	ninterrupted narrative by the driver.)
Estimated Travel Speed (NOTE: Record as obtained from interviewee in increments of 5 m.p.h.; note information source e.g., speedometer, estimate, etc.)	Estimated Impact Speed (NOTE: Record as obtained from interviewee in increments of 5 m.p.h.; note information source e.g., speedometer, estimate, etc.)
Stopped Less than 5 m.p.h.	Stopped Less than 5 m.p.h
Actual speed (in increments)	Actual speed (in increments)
Not applicable Unknown	Not applicable Unknown

INFORMATION SOURCE:

National Accident Sampling System - Continuous Sampling Subsystem: Driver Data Page 3 Travel Lane PRE-CRASH (NOTE: Lane one is the curb or shoulder lane; lane two is the next lane, etc. to the median or centerline. Opposing Direction of Travel lanes are numbered similarly and distinguished by direction of travel.) \_\_ On shoulder \_\_ 1st lane Southeast North \_ On trafficway 2nd lane \_\_ Northwest \_ East \_\_ Off road \_\_ 3rd lane Southwest South \_\_ Outside trafficway \_\_ 4th lane Not applicable West \_\_ Not applicable \_\_ 5th or additional lane \_ Northeast Unknown \_\_ Unknown <sup>3</sup>Vehicle Orientation <sup>2</sup>Vehicle Impact Location <sup>1</sup> Object Contacted (1) Tracking, no skidding (includes (1) Front ( Motor vehicle controlled turn) (2) Right side (0) Guardrail (2) Tracking, skidding (1) Ditch (3) Rear (3) Rotated clockwise to path of travel (2) Ground (4) Left side (4) Rotated counterclockwise to path (5) Top (3) Tree of travel (6) Undercarriage (4) Pole (5) Rolling over (7) Other:\_ (5) Sign (8) Not applicable (6) Jackknifed (6) Pedacyclist (7) Other: (7) Pedestrian (9) Unknown (8) Not applicable (8) Other:\_ (9) Unknown (9) Unknown DRIVER VIEW of TOTAL ACCIDENT CONTACT SEQUENCE Did More Than Six Impacts Occur? \_ Unknown, \_ No, \_ Yes: code the six severest impacts. Final Other Vehicle-if applicable One Vehicle Event Event Object Number Vehicle Number Vehicle Vehicle Event Vehicle Event Contacted<sup>1</sup> (Investi-Orientation<sup>3</sup> (Driver) Location<sup>2</sup> Orientation3 Number Location<sup>2</sup> Number gator) 1 2 3 4 5 6 Driver Inputs Between Last Point-of-Impact and Final **POST-CRASH** Rest Position \_\_ None \_\_ Braking Final Rest Position \_\_ Steering right \_\_ Steering left On roadway \_\_ Braking and steering left \_\_ On shoulder \_\_ Braking and steering right \_\_ In parking lane \_ Acceleration followed by braking \_\_ In median \_ Acceleration followed by braking and steering \_\_ Off road (beyond shoulder area) \_ Releasing brake \_\_ Other: \_\_ Other: \_\_ Not applicable \_\_ Unknown \_\_ Not applicable \_\_ Unknown If multiple impacts occurred, describe driver inputs between initial and last point-of-impact.

National Accident Sampling System — Continuous Sampling Subsystem: Driver Data

A ans

NCI	ACCIDENT DI	AGRAM
Z	Draw a rough sketch of the accident sequence as described by the carefully. If possible, relate these to some identifiable object in the nonmotorist headings relative to an object, as well.	driver. Note impact and final rest positions
		Indicate North
ľ	Any luggage or other cargo in vehicle when accident occurred? Est	imated Weight:lbs.
	Describe:	
	Hazardous cargo in vehicle? ☐ No ☐ Yes If yes, specify:	
;	Present location of vehicle (if not yet inspected)?	
-	Prior to the Accident	oad Surface Condition  Dry
	None Narrow bridge (as defined)	Snow or slush Wet Ice
	Maintenance, repair, or construction activity	Sand, dirt or oil Unknown
	Unknown	

Cate- gory	Configur- ation	ACCIDENT TYPES (Includes Intent)
	A. Right Roadside Departure	DRIVE OFF CONTROL/ TRACTION LOSS WITH VEH., PED., ANIM. OTHER UNKNOWN
I. Single Driver	B. Left Roadside Departure	DRIVE OFF ROAD  CONTROL/ TRACTION LOSS  O9  10  AVOID COLLISION SPECIFICS SPECIFICS WITH VEH., PED., ANIM. OTHER UNKNOWN
	C. Forward Impact	PARKED VEH. STA. OBJECT PEDESTRIAN/ ANIMAL DEPARTURE OTHER UNKNOWN
Trafficway Direction	D Rear-End	20 22 24 26 28 30 (EACH • 32) (EACH • 33)  STOPPED SLOWER DECEL. 29, 30, 31 SPECIFICS UNKNOWN
II. Same Trafficwa Same Direction	E. Forward Impact	34 35 36 37 38 40 122 (EACH • 42) (EACH • 42) (EACH • 42) (EACH • 43) CONTROL/ TRACTION LOSS TRACTION LOSS WITH VEH. WITH OBJECT OTHER UNKNOWN
_	F. Sideswipe/ Angle	44 (EACH • 46) (EACH • 47)  SPECIFICS SPECIFICS UNKNOWN  OTHER
ay ction	G. Head-On	50 51 (EACH • 52) (EACH • 53)  SPECIFICS SPECIFICS UNKNOWN  LATERAL MOVE OTHER SPECIFICS UNKNOWN
Same Trafficway Opposite Direction	H. Forward Impact	54 55 56 57 58 59 60 CI (EACH • 62) (EACH
Ħ	I. Sideswipe/ Angle	65 (EACH • 66) (EACH • 67)  SPECIFICS SPECIFICS UNKNOWN  LATERAL MOVE OTHER
Trafficway	J. Turn Across Path	69 70 73 72  INITIAL OPPOSITE INITIAL SAME DIRECTIONS  DIRECTIONS  (EACH • 74) (EACH • 75)  SPECIFICS SPECIFICS OTHER UNKNOWN
IV. Change Vehicle	K. Turn Into Path	77 79 81 (EACH • 84) (EACH • 85)  TURN INTO SAME DIRECTION TURN INTO OPPOSITE DIRECTIONS OTHER UNKNOWN
V. Intersecting Paths (Vehicle Damage)	L. Straight Paths	87 (EACH • 90)  88 89 SPECIFICS SPECIFICS UNKNOWN OTHER
VI. Miscellaneous	M. Backing Etc.	92 93 OTHER VEH. OR OBJECT  BACKING VEH.  98 Other Accident Type 99 Unknown Accident Type 00 No Impact

PSU NUMBER
CASE NUMBER
VEHICLE NUMBER

87
1598
01

# OCCUPANT DATA FORM

THE FOLLOWING DATA IS NOT INCLUDED IN THIS CASE:

H	ENTIRE FORM	
[]	PAGE NUMBER(S)	

# National Accident Sampling System - Continuous Sampling Subsystem: Vehicle Data

#### FIELD MEASUREMENTS

NCI	Con	nplete When Applicable
	End Damage	Side Damage
İ	Undeformed end width <u>63</u>	Bowing: B1 X1
	Corner shift: A1	B2 X2
Ì	A2 <u>3</u>	Bowing constant
	End shift at frame (CDC) (check one)  <4 inches  >4 inches	$\frac{X1 + X2}{2}$

Note: Measure C1 to C6 from Driver to Passenger side in Front or Rear impacts-Rear to Front in Side impacts.

Specific Impact	Plane* of	Direct	Damage Max***	Field	C <sub>1</sub>	C <sub>2</sub>	C <sub>3</sub>	C <sub>4</sub>	C <sub>5</sub>	C <sub>6</sub>	±D
Number	C-Measurements	(CDC)	Crush	L**							
,	bunger	59	Ca	54	1. 1/8	8,75	13.25	14,25	15.75	ک <sup>ر</sup> ، <b>رس</b> ا	٥
	freez				1.25	,75	0	0	کر .	J. VS	
	adj cush				0	8	13.25	14.25	15	17,5	
	above				9.5	14.75	18	てい	22.50	250	
	hespore				1.5	Seris	8	8	8.75	7.5	
	adj aush				<u> </u>	8	10	12	13.75	77.5	
	average cense	(anno	edat Cionle	1) (	/	8	13.25	14.25	15	17.5	

\*Identify the plane at which the C-measurements are taken (e.g., at bumper, above bumper, at sill, above sill, at beltline, etc.) or label adjustments (e.g., free space).

Free space value is defined as the distance between the baseline and the original body contour taken at the individual C locations. This may include the following: bumper lead, bumper taper, side protrusion, side taper, etc. Record the value for each C-measurement and maximum crush.


Note: Use as many lines/columns as necessary to describe each damage profile.

<sup>\*\*</sup>Measure and document on the vehicle diagram the beginning or end of the direct damage width and field L (e.g., side damage with respect to undamaged axle.)

<sup>\*\*\*</sup>Measure and document on the vehicle diagram the location of the maximum crush.

# NATIONAL ACCIDENT SAMPLING SYSTEM—CONTINUOUS SAMPLING SUBSYSTEM VEHICLE

Page 6B



Annotate any damage caused by extrication such as component removal by torching, prying or hydraulic shears.

If the vehicle contacted a pedestrian, complete page 6R.

# National Accident Sampling System-Continuous Sampling Subsystem: Vehicle Data

Page 7

OBJECT CONTACTED (00) Noncollision	(57) Bridge rail
(01) through (30)	(58) Bridge parapet end
If the object contacted by the vehicle under consideration	(59) Guardrail - bridge rail transition
was a motor vehicle in transport, code the Vehicle	(60) Guardrail end (non-median)
Number assigned to that vehicle	(61) Guardrail end (median)
Collision with Stationary Object	(62) Guardrail (non-median)
(31) Motor vehicle not in transport*	(63) Guardrail (median)
(32) Tree (≤6 inches in diameter)	(64) Concrete barrier (non-median)
	(65) Concrete barrier (median)
(33) Tree (>6 inches in diameter)	(66) Other median barrier (specify):
Highway/Traffic Supports	(00) Other median barrier (speeds).
(34) Luminaire - breakaway	(67) Other longitudinal barrier
(35) Luminaire - nonbreakaway	(non-median) (specify):
(36) Large sign - breakaway	(non-inegian) (speen)).
(37) Large sign - nonbreakaway	(68) Impact attenuator/Crash cushion
(38) Small sign - breakaway	(69) Ground
(39) Small sign - nonbreakaway	(70) Train
(40) Utility pole	(71) Ditch
(41) Traffic signal pole	(71) Other stationary/fixed object
(42) Delineator	(specify):
(43) Other post, pole or support	Collision with Nonstationary Objects
(specify):	(73) Animal
(44) Fence	(73) Adminar (74) Trailer, disconnected in transport
(45) Mail box	(75) Train
(46) Other movable object (specify):	(75) Train (76) Other nonstationary objects (specify):
(47) Culvert	(70) Other houstationary objects (specify).
(48) Railroad tracks	(81) through (95)
(49) Curb	If the object contacted by the vehicle under consideration
(50) Abutment	was pedestrian or nonmotorist, add eighty (80) to the
(51) Wall (stone, rock, metal, etc.)	assigned Pedestrian & Nonmotorist Number, and code
(52) Embankment - earth	the resultant sum.
(53) Embankment - rock, stone or concrete	(96) Vehicle occupant
(54) Building, rigid	(97) Other object (specify):
(55) Building, nonrigid	(77) Other object (specify).
(56) Bridge pier or abutment	(99) Unknown

\*NOTE: For coding CDC or TDC investigators must refer to appropriate reference documents for accurate coding. If this vehicle impacted a vehicle not in transport, fill in the information for that vehicle at the end of the CRASH Program Summary.

#### **DEFORMATION CLASSIFICATION BY EVENT NUMBER**

Event Number (this vehicle)	Object Contacted	(1) (2) Direction of Force (degrees)	Incremental Value of Shift	(3) Deformation Location	(4) Specific Longitudinal or Lateral Location	(5) Specific Vertical or Lateral Location	(6) Type of Damage Distribution	(19) Deformation Extent Guide	Event Number (in accident)
1	<u>v</u> 1	360	00	<u> </u>	Δ	$\underline{\epsilon}$	$\underline{\omega}$	<u>ں ج</u> ے	1 7 m
2	<u> </u>	3 <b>6</b> 0	00	E	<u> </u>	<u> </u>	<u>E</u>	<i>Q</i> _/	3 (6)
3	<u>0</u>	360	<u></u>	<u>_</u>	E	$\omega$	$\underline{\mathcal{N}}$	0/	4)PH
4				_	_				
5				_					_
6			<del></del>	_		_	_		_
7				_					_

National Accident Sampling System - Continuous Sampling Subsystem: Vehicle Data

Page 10

				<del>, , ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</del>								
RESTR	ΔΙΝΤ	Front	Front	Front	Second	Second	Second	Third	Third	Third	Other	
SYST		Seat:	Seat:	Seat:	Seat:	Seat:	Seat:	Seat:	Seat:	Seat:	Position	
	-	Left	Middle	Right	Left	Middle	Right	Left	Middle	Right	or Unit*	
	Avail-											
MANUAL		3		_3_	<u> </u>	<u> </u>	<u>고</u>					
	Indication				<del></del>	<u> </u>						
]	of Usage	_3_	<u> </u>	_3	<u> </u>	<u> </u>	2					
<del> </del>	Avail-										_	
AUTO-				:	1				l		l	
MATIC	ability					<del> </del>			<del> </del>		<del></del> -	
MATIC	Function											
	<u> </u>					<u> </u>				L		
Manual Restra	int System		Manual Restr			Automatic (P Restraint Sys			Automatic (P Restraint Sys			
-Availability- (0) None	s available		-Indication o			-Availability	-		-Function-			
(1) Shou	lder belt		(1) Sho	ulder belt		(0) Not			(0) Not	equipped comatic belt in	use	
(2) Lap	beit and shoulder bel		(2) Lap	belt and shoulder	helt	(2) Air	bag disconnect	ed	(2) Au	omatic belt no		
(3) Lap	and shoulder bei prcycle helmet	ι	(4) Mo	torcycle helme	et .	(3) Air	bag not reinsta o point automa	iled		oloyed airbag n-deployed airl	han	
(5) Child	d safety seat (des		(5) Chi	ld safety seat	- car lap	(5) Thi	ree point autom	natic	(9) Un		oue.	
desig	out tether or unk (n)	nown		used properly ld safety seat		beli			Infant or Ch	id Seat Orient	ation	
(6) Child	d safety seat (des			used imprope	•		tomatic belts de rendered inope			infant or child		
	tether - tether n ) (specify):	iot		cify): ld safety seat		(9) Un	known		(1) Rea		_	
		<del></del>	unk	nown if car la		Infant or Chi	ild Restraint			warding facing er orientation		
	d safety seat (des tether - tether u			d properly traint used - t	vpe	Make/Model				ecify):		
(8) Rest	raint available -		unk	nown or other						known orientat known if restra		
	own or other		(spe (9) Uni	cify): known			nt or Child Re		ava	ilable		
(9) Unki		<del> </del>					infant or child traint		Infant or Ch	ild Restraint		
						(1) Infa			Harness/Shie			
				(2) Child seat (3) Convertible seat					(0) No infant or child restraint			
						(4) Boo	oster seat			rness/shield us		
						(7) Oth	er type seat (s	pecity):		rness/shi <mark>eld no</mark> known ha <mark>rnes</mark> s		
*Specify the C	Other Position						known type res		usa	ge		
or Unit refer							known if restra ilable	int		known if restra ilable	Rint	
INDICATIO	NS OF EJECT	TON If a	iection is susp	nected or	Fiectio	on Medium		Mediu	m Status			
	No Of Lile		orted, indicat			Door (side)			Open			
No eje	ction	,	•	avenues number Door (rear)					Separation	paration		
			n and utilize consistently	ze the same num Open roof structure			ructure	Closed, closed when				
Tienties Ass		Ders	consistently	inroughout.		Other medium type			Integral structure ripped			
Ejection Are: Windsł		_ Roof				Unknown	71		opened			
Left fr	ont	_ Other area	(e.g., sideca	г,	•	ble windows	na .		Status known	l		
Right f		back of pic	ckup, etc.)	.) Roll down type Hinged typed								
Left re		_ Unknown		Sliding type								
Rear						Other type w	indow					
FRONT			CHECK A	LL AREAS	of SUSPECT	TED OCCUP	ANT CONT	ACT				
Windsl				Other	side object			REAR	11' . 1-4 /			
Sunvis				INTERIOR					klight (rear v klight storage		etc.	
Steerin	ig wheel rim				back support				er rear objec			
	g wheel hub/s			Belt re	estraint syste	m			·			
	ig wheel (comb ib/spoke)	oination of		Head	restraint syst	em			OR OF OCCI	JPANT'S V	EHICLE	
rim/hub/spoke) Air cushion Noncycle Steering column, transmission selector Other occupants Hood												
lever, other attachment Interior					or loose object	cts			side hardwar	e (e.g., outsi	de mirror,	
Add on equipment (e.g., CB, tape deck,				Other	interior obje	ct			enna)	<b>c .:</b>	_	
air conditioner) Left instrument panel and below				ROOF					er exterior su cnown exterio		3	
Center	Center instrument panel and below				header			0	monn catera	or objects		
	instrument pan	el and below		Rear	header			CYCLE	11 1	t		
Other	front object			Roof	side rails or convertible	e ton			ndle bars or a me or suspen		ent or	
SIDE				KOOI	or convertible	c top		fend	•	sion compon	on vi	
	nterior surface,	excluding h	ard-	FLOOR				Sea	t	_		
	or armrests ardware or arr	nrest		Floor	1_				t pedal, foot	rest, foot pe	gs	
A pilla					or console m including co	nounted transi	mission		eel or tire tine or transn	nission		
B pilla	ır				nicidding co				tank, gas ta		or neck	
Other	nillar					dina parkina	brake		er cycle part			

Window glass or frame

 $\mathbf{z}$ 


#### VEHICLE INTERIOR

## POINTS OF OCCUPANT CONTACT

CONTACT	INTERIOR PART CONTACTED	SUPPORTING PHYSICAL EVIDENCE	Confidence Level of Contact Point
Α	dask	Irohan out	<b>(1)</b> 2
В	dusa	broken out	
С	Steering wheel win	cracked in several places	<b>6</b> 2
D	steering wheel hub	bloods	<u> </u>
E	molding	1 10.10 - +	2
F	coin drown	pulled out	2
G	clove bay	spenny open	1 ②
Н	reas view muio	some from wondshield	1)2

If Additional Contact Points, Continue on Reverse Side





Sketch controls in appropriate positions, if contacted. Sketch and describe all occupant contact points (i.e., dents, skin transfer, etc.) and code on preceding page. Dash lines indicate center of instrument panel-windshield area and top of panel for reference purposes.

Codes for Confidence Level of Contact Point are: Certain - 1; and possible - 2.

I outside meier work bent D

J dome light dangling from Ceiling B

National Accident Sampling System — Continuous Sampling Subsystem: Driver Data

Page 2

NC	ACCIDENT DESCRIPTION INSTRUCTIONS	,
	Do not interrupt person during general description (narrative), unless he/she requests your assistance. Attempt to summarize the narrative while minimizing any disruptions of the person's internal logic. Specific questions may be asked later. Write these questions down in the space below or on the other side of the paper, prior to the interview.	1
	SPECIFIC QUESTION:	
	(This represents a superior of the driver.)	se Review

National Ac	cident San	npling System	- Contin	uous Sampl	ing Subsystem	: Driver Da	ta	Page 3		
		RE-CRASH			Travel Lane (NOTE: Lane one			ine: lane two is		
Direction of	of Travel				the next lane, etc lanes are number	, to the medi	an or centerlin	ne. Opposing		
∠North		Southeast			of travel.)lst lane On shoulder					
East		Northwest		11	2nd lane		_ On trafficy	vay		
South		Southwest		11	3rd lane		Off road			
West		Not applie		1 1	4th lane		Outside tra			
Northea	ast	Unknown			5th or additio		Not applic Unknown	able		
¹ Object Co () Motor (0) Guardra (1) Ditch (2) Ground (3) Tree (4) Pole (5) Sign (6) Pedacyc (7) Pedestri (8) Other: (9) Unknow	vehicle til elist an		(1) Front (2) Right si (3) Rear (4) Left sid (5) Top (6) Underc: (7) Other: (8) Not app (9) Unknow	de arriage plicable vn		<ul> <li>3Vehicle Orientation</li> <li>(1) Tracking, no skidding (includes controlled turn)</li> <li>(2) Tracking, skidding</li> <li>(3) Rotated clockwise to path of travel</li> <li>(4) Rotated counterclockwise to path of travel</li> <li>(5) Rolling over</li> <li>(6) Jackknifed</li> <li>(7) Other:</li></ul>				
Did More	Than Six Im				ENT CONTACT:  Yes: code the	-	mpacts.			
Event	Final Event			One Vehic			pplicable			
Number (Driver)	Number (Investigator)	Object Contacted <sup>1</sup>	Vehicle Number	Event Location <sup>2</sup>	Vehicle Orientation <sup>3</sup>	Vehicle Number	Event Location <sup>2</sup>	Vehicle Orientation <sup>3</sup>		
1	4	<u> </u>	2	1	<u></u>		<u>3</u>	7		
2		<u> </u>								
3	-	_								
4				_						
5								_		
6										
		ST-CRASH			Driver Inputs Be Rest Position	tween Last P	_			
In par In me Off ro Other	oadway noulder rking lane edian oad (beyond	shoulder area)	Suar Nail 241 try car		None Steering left Braking and Braking and Acceleration Acceleration Releasing bra Other:	steering right followed by followed by	t .	ering right		
Unkn	own //2	line that lene rred, describe di	ahead of		Not applicab		Unkno	wn		


Indicate North

National Accident Sampling System - Continuous Sampling Subsystem: Driver Data

Page 4

## ACCIDENT DIAGRAM

Draw a rough sketch of the accident sequence as described by the driver. Note impact and final rest positions carefully. If possible, relate these to some identifiable object in the area, and record vehicle and pedestrian or nonmotorist headings relative to an object, as well.



Any luggage or other cargo in vehicle when accident occurr	
Describe: 2 SPARÉ T	IRES
Hazardous cargo in vehicle? ✓ No ☐ Yes If yes, speci Present location of vehicle (if not yet inspected)?	
Present location of venicle (if not yet inspected):	
Did any of the Following Restrictions of the Road Exist  Prior to the Accident  None  Narrow bridge (as defined)  Previous accident  Maintenance, repair, or construction activity on roadway  Roadway immersion (standing water)	Road Surface Condition  Dry Snow or slush Wet Ice Sand, dirt or oil Unknown

Unknown

Cate- gory	Configur- ation	ACCIDENT TYPES (Includes Intent)
8***	A. Right Roadside Departure	DRIVE OFF CONTROL/ AVOID COLLISION SPECIFICS SPECIFICS UNKNOWN
Single Driver	B. Left Roadside Departure	DRIVE OFF ROAD  OR OFF TRACTION LOSS  OR OFF OR OFF TRACTION LOSS  OR OFF OR OFF OR OFF TRACTION LOSS  OR OFF OR O
1	C. Forward Impact	PARKED VEH. STA. OBJECT PEDESTRIAN/ ANIMAL DEPARTURE OTHER UNKNOWN
Trafficway Direction	D Rear-End	20 22 24 26 28 30 (EACH • 32) (EACH • 33)  STOPPED SLOWER 21, 22, 23 25, 26, 27 29, 30, 31 SPECIFICS OTHER UNKNOWN
II. Same Trafficwa Same Direction	E. Forward Impact	34 35 36 37 38 40 122 (EACH • 42) (EACH • 43)  CONTROL/ TRACTION LOSS TRACTION LOSS WITH VEH.  AVOID COLLISION WITH OBJECT OTHER UNKNOWN
I	F. Sideswipe/ Angle	44 (EACH • 46) (EACH • 47)  SPECIFICS SPECIFICS UNKNOWN  OTHER
icway irection	G. Head-On	50 51 (EACH • 52) (EACH • 53)  SPECIFICS  LATERAL MOVE OTHER  SPECIFICS UNKNOWN
Same Trafficway Opposite Direction	H. Forward Impact	CONTROL/ TRACTION LOSS  55  56  57  58  59  60  60  61  (EACH • 62)(EACH • 63)  EACH • 62)  EACH • 62)  EACH • 63  EACH • 62)  EACH • 63  EACH • 63  EACH • 62)  EACH • 63  EACH • 63  EACH • 62)  EACH • 63  EACH • 63  EACH • 62)  EACH • 63  EACH • 63  EACH • 63  EACH • 62)  EACH • 63  EACH • 62)  EACH • 63
III	I. Sideswipe/ Angle	65 (EACH • 66) (EACH • 67)  SPECIFICS SPECIFICS UNKNOWN  LATERAL MOVE OTHER
Trafficway Turning	J. Turn Across Path	69 70 73 72 INITIAL OPPOSITE INITIAL SAME DIRECTIONS OTHER UNKNOWN
IV. Change Vehicle	K. Turn Into Path	77 79 81 82 (EACH • 84) (EACH • 85)  TURN INTO SAME DIRECTION TURN INTO OPPOSITE DIRECTIONS OTHER UNKNOWN
V. Intersecting Paths (Vehicle Damage)	L. Straight Paths	87 (EACH • 90) (EACH • 91) SPECIFICS SPECIFICS UNKNOWN OTHER
VI. Miscellaneous	M. Backing Etc.	92 93 OTHER VEH. 98 Other Accident Type OR OBJECT 99 Unknown Accident Type BACKING VEH. 00 No Impact


NCI

Vehicle No.: 02
Occupant No.: 07


National Accident Sampling System — Continuous Sampling Subsystem: Occupant Data


Page 4

INJURY DATA FROM INTERVIEWEE OR UNOFFICIAL SOURCE



Skeletal Injuries





Collection Section

NCI

# National Accident Sampling System — Continuous Sampling Subsystem: Occupant Data


Vehicle No.:


Page 5

# **OFFICIAL INJURY DATA**


Indicate the Nature, Location, and injury Source of all injuries.


Soft Tissue Injuries





Skeletal Injuries





Write additional medical record injury data on reverse of this page

PSU/Case	Number	 	 	 

Vehicle No.:
Occupant No.:

	ADDITIONAL MEDICAL RECORD INJURY DATA USED IN CODING OIC/AIS
_	
-	
-	
-	
_	
_	
_	
-	
-	
-	
-	
_	
-	
-	
-	
-	
_	
•	
•	
•	

NC

# National Accident Sampling System-Continuous Sampling Subsystem: Occupant Data

Vehicle No.:\_ Occupant No.:

Page 6

# OCCUPANT INJURY CLASSIFICATION

Consider all injuries which are reported from both unofficial and official sources. The information from official sources takes precedence over similar injuries reported by any other source. In other words, do not list the same injury twice; supersede the interview data with official data in the case of similar injuries. List all injuries by official medical sources first. Police reported injuries may be used, but only when no other source of injury information is available.

Were more than ten (10) injuries sustained? \_\_\_\_ Unknown, \_\_\_ No, \_\_\_\_ Yes - If more than ten dissimilar injuries were identified during the interview, from collection of official data, and from other unofficial sources (excluding police), list those from the official records first, exhausting that level of data before listing those from the interviewee or other sources.

	I.S.S. Body Region	O.I.C. Body Region	Aspect	Lesion	System/ Organ	A.I.S. Severity	Injury Source	Direct/ Indirect Injury	Source of Data
1	4	1	<u>R</u>	_	$\underline{\mathcal{I}}$	1	10	_/	
2	6	1	<u>L</u>	<u>_</u>	I		<u> </u>	4	
3	5	$\underline{\omega}$	<u>L</u>	E	_	2	4 7	7	
4	4	E	<u>s</u>		I	2	<u>0</u> ¥	7	<del></del>
5			_	_	_	_		_	<del></del> -
6	_	_	_			<del></del>		_	
7			_	_	_	_		_	
8	_	_		_	_	_		_	
9	_	_	_	_	_			_	
10	_	_	_		_	_			

#### Source of Data

#### Official

- (01) Autopsy records with or without hospital/medical records
- (02) Hospital medical records other than emergency room (e.g., discharge summary)
- (03) Emergency room records only (including associated x-rays or other lab reports)
- (04) Private physician, walk-in or emergency clinic

#### Unofficial

- (05) Lay coroner report
- (06) E.M.S. personnel
- (07) Interviewee
- (08) Other source:
- (09) Police
- (99) Unknown if injured
- (00) Not injured

#### I.S.S. Body Region

- (1) Head or neck
- (2) Face
- (3) Chest
- Abdominal or pelvic contents
- Extremities or pelvic girdle
- General (external)
- Not injured
- Unknown

#### O.I.C. Body Region

- (M) Abdomen
- (Q) Ankle foot
- (A) Arm (upper)
- (B) Back thoracolumbar spine
- (C) Chest
- (E) Elbow
- (F) Face
- (R) Forearm
- (H) Head skull
- (U) Injured. unknown region
- (K) Knee
- (L) Leg (lower)
- (Y) Lower limb(s) (whole or unknown part)
- (N) Neck cervical spine
- (P) Pelvic hip
- Shoulder (S)
- (T)Thigh
- (X) Upper limb(s) (whole or unknown part)
- Whole body
- (W) Wrist hand
- (0) Not injured
- Unknown if injured

#### Aspect of Injury

- (A) Anterior front
- (C) Central
- (I) Inferior lower
- (U) Injured, unknown aspect
- (L) Left
- (P) Posterior back
- (R) Right
- (S) Superior upper
- (W) Whole region
- (0) Not injured
- Unknown if injured

#### Lesion

- (A) Abrasion
- (M) Amputation
- (V) Avulsion
- (B) Burn
- (K) Concussion
- (C) Contusion
- (N) Crush
- (G) Detachment, separation
- (D) Dislocation
- (F) Fracture
- (Z) Fracture and dislocation
- (II) Injured, unknown lesion
- (L) Laceration
- (O) Other
- (P) Perforation, puncture
- (R) Rupture
- (S) Sprain (T)Strain
- (E) Total severence, transection
- (0)Not injured
- Unknown if injured

#### System/Organ

- (W) All systems in region
- (A) Arteries veins
- (B) Brain
- (D) Digestive
- (E) Ears
- (O) Eye
- (H) Heart
- (U) Injured, unknown system
- (I) Integumentary Joints
- **(J)** (K) Kidneys
- (L) Liver
- (M) Muscles
- (N) Nervous system
- (P) Pulmonary - lungs
- (R) Respiratory
- (S) Skeletal
- (C) Spinal cord
- (Q) Spleen
- (T) Thyroid, other endocrine gland
- Urogenital (**G**)
- (V) Vertebrae
- Not injured (0)
- (9) Unknown if injured

#### Abbreviated Injury Scale

- (1)Minor injury
- (2) Moderate injury
- (3) Serious injury
- Severe injury (4)
- (5) Critical injury
- Maximum (untreatable)
- Injured, unknown severity (7)
- (0)Not injured
- Unknown if injured

NCI

Vehicle No.: Occupant No .: .

National Accident Sampling System — Continuous Sampling Subsystem: Occupant Data


Page 4


# INJURY DATA FROM INTERVIEWEE OR UNOFFICIAL SOURCE

Indicate the Nature, Location, and injury Source of all injuries.


Specify Source:


Soft Tissue Injuries





Skeletal Injuries





Collection Section

NCI

National Accident Sampling System — Continuous Sampling Subsystem: Occupant Data


Vehicle No.: 02
Occupant No.: 02


Page 5

# OFFICIAL INJURY DATA


Indicate the Nature, Location, and injury Source of all injuries.


Soft Tissue Injuries





Skeletal Injuries





Write additional medical record injury data on reverse of this page

PSU/Case	Number	 	 	 

ehicle No.:	
Occupant No :	

	ADDITIONAL MEDICAL RECORD INJURY DATA USED IN CODING OIC/AIS
<u> </u>	
<u></u>	
<u> </u>	

NC

# National Accident Sampling System-Continuous Sampling Subsystem: Occupant Data

Vehicle No.:	02
Occupant No.:	02

Page 6

## OCCUPANT INJURY CLASSIFICATION

Consider all injuries which are reported from both unofficial and official sources. The information from official sources takes precedence over similar injuries reported by any other source. In other words, do not list the same injury twice; supersede the interview data with official data in the case of similar injuries. List all injuries by official medical sources first. Police reported injuries may be used, but only when no other source of injury information is available.

Were more than ten (10) injuries sustained? \_\_\_\_ Unknown, \_\_\_\_ No, \_\_\_\_ Yes — If more than ten dissimilar injuries were identified during the interview, from collection of official data, and from other unofficial sources (excluding police), list those from the official records first, exhausting that level of data before listing those from the interviewee or other sources.

	I.S.S. Body Region	O.I.C. Body Region	Aspect	Lesion		A.I.S. Severity	Direct/ Indirect Injury	Source of Data
1	<u>o</u>					-	 	
2		_	_	_		_	 _	
3	_		_		_		 _	
4	_		_	_	_		 	
5		_	_		_		 _	
6	_			_	_	<del></del>	 	
7	_				<del></del>		 _	
8	_	_			<del></del>	<del></del>	 _	
9		_	_	_			 _	
10	_	_					 _	

#### Source of Data

#### Official

- (01) Autopsy records with or without hospital/medical records
- (02) Hospital medical records other than emergency room (e.g., discharge summary)
- (03) Emergency room records only (including associated x-rays or other lab reports)
- (04) Private physician, walk-in or emergency clinic

#### Unofficial

- (05) Lay coroner report
- (06) E.M.S. personnel
- (07) Interviewee
- (08) Other source:
- (09) Police
- (99) Unknown if injured
- (00) Not injured

#### I.S.S. Body Region

- (1) Head or neck
- (2) Face
- (3) Chest
- (4) Abdominal or pelvic contents
- (5) Extremities or pelvic girdle
- (6) General (external)
- Not injured
- Unknown

#### O.I.C. Body Region

- (M) Abdomen
- (Q) Ankle foot
- (A) Arm (upper)
- (B) Back thoracolumbar spine
- (C) Chest
- (E) Elbow
- (F) Face
- (**R**) Forearm
- (H) Head skull
- (U) Injured, unknown region
- (K) Knee
- (L) Leg (lower)
- (Y) Lower limb(s) (whole or unknown part)
- (N) Neck cervical spine
- (P) Pelvic hip
- (S) Shoulder
- (T) Thigh
- (X) Upper limb(s) (whole or unknown part)
- (O) Whole body
- (W) Wrist hand
- (0) Not injured
- (9) Unknown if injured

#### Aspect of Injury

- (A) Anterior front
- (C) Central
- (I) Inferior lower
- (U) Injured, unknown aspect
- (L) Left
- (P) Posterior back
- (R) Right
- (S) Superior upper
- (W) Whole region
- (0) Not injured
- (9) Unknown if injured

#### Lesion

- (A) Abrasion
- (M) Amputation
- (V) Avulsion
- (B) Burn
- (K) Concussion
- (C) Contusion
- (N) Crush
- (G) Detachment, separation
- (D) Dislocation
- (F) Fracture
- (Z) Fracture and dislocation
- (U) Injured, unknown lesion
- (L) Laceration
- (O) Other
- (P) Perforation, puncture
- (R) Rupture **(S)** Sprain
- Strain (T)
- (E) Total severence, transection
- (0)Not injured
- Unknown if injured

#### System/Organ

- (W) All systems in region
- (A) Arteries veins
- (B) Brain
- (D) Digestive
- (E) Ears
- (O) Eye
- (H) Heart
- (U) Injured, unknown system
- (I) Integumentary
- Joints (I)
- (K) Kidneys (L) Liver
- (M) Muscles
- (N) Nervous system
- (P) Pulmonary lungs
- (R) Respiratory
- Skeletal
- (C) Spinal cord
- (Q) Spleen
- (T) Thyroid, other endocrine gland
- (G) Urogenital
- (V) Vertebrae
- (0) Not injured
- (9) Unknown if injured

#### Abbreviated Injury Scale

- (1) Minor injury
- (2) Moderate injury
- (3) Serious injury
- Severe injury
- (5) Critical injury Maximum (untreatable)
- Injured, unknown severity
- Not injured (0)
- Unknown if injured

Vehicle No.: 02
Occupant No.: 03

# National Accident Sampling System - Continuous Sampling Subsystem: Occupant Data


Page 4


2

# INJURY DATA FROM INTERVIEWEE OR UNOFFICIAL SOURCE


Indicate the Nature, Location, and injury Source of all injuries.


Specify Source: druver





Skeletal Injuries





Collection Section

Vehicle No.: Occupant No.:


Page 5


# National Accident Sampling System - Continuous Sampling Subsystem: Occupant Data

Indicate the Nature, Location, and injury Source of all injuries.


Soft Tissue Injuries


OFFICIAL INJURY DATA





Skeletal Injuries





Write additional medical record injury data on reverse of this page

PSU/Case	Number	 	 _	 

Vehicle N	No.:
Occupan	t No :

	ADDITIONAL MEDICAL RECORD INJURY DATA USED IN CODING OIC/AIS
<u></u>	
٠	

NCI

# National Accident Sampling System-Continuous Sampling Subsystem: Occupant Data

Vehicle No.: Occupant No.:\_

Page 6

# OCCUPANT INJURY CLASSIFICATION

Consider all injuries which are reported from both unofficial and official sources. The information from official sources takes precedence over similar injuries reported by any other source. In other words, do not list the same injury twice; supersede the interview data with official data in the case of similar injuries. List all injuries by official medical sources first. Police reported injuries may be used, but only when no other source of injury information is available.

Were more than ten (10) injuries sustained? \_\_\_\_ Unknown, \_\_\_\_ No, \_\_\_\_ Yes — If more than ten dissimilar injuries were identified during the interview, from collection of official data, and from other unofficial sources (excluding police), list those from the official records first, exhausting that level of data before listing those from the interviewee or other sources.

	I.S.S. Body Region	O.I.C. Body Region	Aspect	Lesion	System/ Organ	A.I.S. Severity	Injury Source	Direct/ Indirect Injury	Source of Data
1	2	E	R	<u>_</u>	0	1	14	1	0 7
2	4	M	I	$\mathcal{C}$	I	1	حےحے	$\angle$	07
3	4	<u>m</u>	I	B	$\mathcal{I}$	1	ھے تے		7_ك
4	_			_				_	<del></del>
5	_	_				_		_	
6	_	_		_	_	_	-	_	
7	-	_						_	
8		_	_			_		_	
9	_	_		_				_	
10	<del></del>		_	_			<del></del>		

#### Source of Data

#### Official

- (01) Autopsy records with or without hospital/medical records
- (02) Hospital medical records other than emergency room (e.g., discharge summary)
- (03) Emergency room records only (including associated x-rays or other lab reports)
- (04) Private physician, walk-in or emergency clinic

#### Unofficial

- (05) Lay coroner report
- (06) E.M.S. personnel
- (07) Interviewee
- (08) Other source:
- (09) Police
- (99) Unknown if injured
- (00) Not injured

#### I.S.S. Body Region

- (1) Head or neck
- (2) Face
- (3) Chest
- Abdominal or pelvic contents
- Extremities or pelvic girdle
- General (external)
- Not injured
- Unknown

#### O.I.C. Body Region

- (M) Abdomen
- (Q) Ankle foot
- (A) Arm (upper)
- (B) Back thoracolumbar spine
- (C) Chest
- (E) Elbow
- (F) Face
- (R) Forearm
- (H) Head skull
- (U) Injured, unknown region
- (K) Knee
- (L) Leg (lower)
- (Y) Lower limb(s) (whole or unknown part)
- (N) Neck cervical spine
- (P) Pelvic hip
- (S) Shoulder
- (T) Thigh
- (X) Upper limb(s) (whole or unknown part)
- (O) Whole body
- (W) Wrist hand
- (0) Not injured
- (9) Unknown if injured

#### Aspect of Injury

- (A) Anterior front
- (C) Central
- (I) Inferior lower
- (U) Injured, unknown aspect
- (L) Left
- (P) Posterior back
- (R) Right
- (S) Superior upper
- (W) Whole region
- (0) Not injured
- (9) Unknown if injured

#### Lesion

- (A) Abrasion
- (M) Amputation
- (V) Avulsion
- (B) Burn
- (K) Concussion
- (C) Contusion
- (N) Crush
- (G) Detachment, separation
- (D) Dislocation
- (F) Fracture
- (Z) Fracture and dislocation
- (U) Injured, unknown lesion
- (L) Laceration
- (O) Other
- (P) Perforation, puncture
- (R) Rupture **(S)** Sprain
- (T) Strain
- Total severence, transection (E)
- (0)Not injured
- Unknown if injured

#### System/Organ

- (W) All systems in region
- (A) Arteries veins
- (B) Brain
- (D) Digestive
- (E) Ears
- (O) Eye
- (H) Heart
- (U) Injured, unknown system
- (I) Integumentary
- Ioints (I)
- (K) Kidneys
- (L) Liver
- (M) Muscles
- (N) Nervous system (P) Pulmonary - lungs
- (R) Respiratory
- (S) Skeletal
- (C) Spinal cord
- (O) Spleen
- (T) Thyroid, other endocrine gland
- (G) Urogenital
- (V) Vertebrae
- (0) Not injured
- (9) Unknown if injured

#### Abbreviated Injury Scale

- (1) Minor injury
- (2) Moderate injury
- Serious injury (3)
- Severe injury Critical injury
- Maximum (untreatable)
- Injured, unknown severity
- Not injured
- Unknown if injured

_	
$\mathcal{O}$	
-	
_	

Administration			T -			$\Box$
This form presents the CRASH Prog	gram summary inf	formation	Prim	ary <u>S</u> ampling <u>U</u> nit Number	<u>&amp;</u> .	7
101 traine and	IASS	34 - 3 - 1	_	N. I. Contidentian	159	13
	icle No. Make	e Model	Case	Number – Stratification	737	
First Vehicle			Con	nmon Impact Number	<u>o</u> _	۷l
Second Vehicle	2 Plym	7. Rehard	-	•		<i>'</i>
			<u> </u>			
2. VEHICLE CLASS WEIGHT?			13.	Did SKIDDING stop prior to final rest?		
Veh #1 Class Occupant Ca	argo Curb	3945		No – skip to 15.		
	<u>3945</u>			Yes:		
Veh #2 Class Weight: <u>219</u> )	<u>15 2524</u>	2818	14.	Location	X — — — · -	
weight.	•				Y	-
3. Veh #1 CDC	<u>04B</u>	DEWS			Ψ .	
PDOF		&780			, <del></del>	
070	1 -3 A	-DEW-	15.	Was Vehicle One's PATH CURVED?		
4. Veh #2 CDC PDOF		@360		No – skip to 17.		
FDOT		- = = =	1	Yes:		
5. VEHICLE STIFFNESS?			16.	Point on Path	X	
Veh # 1		<u>5</u>			N/	
Veh #2		7			Y	-
6. KNOWLEDGE of REST and IN	MPACT POSITIO	NS?	17.	ROTATION DIRECTION of Vehicle On	e?	
			1	N 12 10		
No - skip to 38 Dan	nage Dimensions	1		None - skip to 19. Clockwise:		
Yes:				Clockwise:		
7. REST	Veh #1 X		18	More than 360 degrees?		
7. ICS1		ł	10.			
	Υ		1	No		
	1/2			Yes		
	¥ —		19.	SKIDDING OF Vehicle Two?		
	Veh # 2 X	— — · —				
	Y		3	No — skip to 22.		
			20	Did SKIDDING stop prior to final rest?		
	Ψ		-0.	• •		
8. IMPACT	Veh #1 X			No - skip to 22.		
	7,		١	Yes:	v	
	Y		21.	Location	X	—
	Ψ				Y	
	VI #2 V					
	Veh # 2 X				Ψ	
	Υ		22.	Was Vehicle Two's PATH CURVED?		
	,	·		No – skip to 24.		
	Ψ —			Yes:		
9. Slip angles PRIOR to impact?			23.	Point on Path	X ———	_
No - skip to 11.					<b>T</b> 7	
Yes					Y	_
10. Slip angles			24	ROTATION DIRECTION of Vehicle Tv	vo?	
Veh # 1		±	Z4.			
Veh #2		<del>+</del>		None – skip to 26.		
11 CUSTAINED CONTACTS		1	·	Clockwise: Counterclockwise:		
11. SUSTAINED CONTACT?  No		İ		Counterclock wise.		
Yes			25.	More than 360 degrees		
		1	Į	No		
12. SKIDDING of Vehicle One?				Yes		
No - skip to 15.				The Composition of the Compositi		
Yes:			26.	Tire-Ground FRICTION?	<u> </u>	_

# National Accident Sampling System — Continuous Sampling Subsystem: CRASH Program Summary

National Accident Sampling	System – Continuous Sampi	ing Subsystem. OTASH Togic	an cumur,
27. ROLLING RESISTANCE?	[Option (1) or (2)]	38. Are DAMAGE DIMENSION	NS Known?
(1) Proportion of Braking I	Each Wheel	No - PROGRAM C Yes: Dimensions in	OMPLETED! Inches
28. ROLLING RESISTANCES Individual Wheels	LF RR	39. Side damage 42. End damage	Veh #1 L
29. ROLLING RESISTANCES Individual Wheels	LR  for Veh #2 RF  LF  RR  LR	40. Side damage 43. End damage	C1_4 <u>5</u> _4 C2_40.85 C3_39.38
OR (2) Longitudinal Deceleration	on		C <sub>4</sub> <u>3 4.3</u> 5 C <sub>5</sub> <u>3 3 8</u> 5
30. 31.	Veh #1 Veh #2		(6 <u>/5</u> 3
32. TRAJECTORY SIMULATI  No – skip to 38.	ON?	41. Side damage 44. End damage	D± 🖸 į
Yes: Steer angles?	W. 1. (4.) P.F.	45. Side damage	V.b.#2 1 / 2
33. STEER ANGLES	Veh #1 RF LF	48. End damage 46. Side damage	Veh #2 L _ <i>_6</i> 3
	RR LR	49. End damage	$C_1 = 1$ $C_2 = 8$
34. STEER ANGLES	Veh # 2 RF		(3 <u> </u>
	LF		C4 _ 1 4 _ = 2
	RR		Cs <i>1_ 2</i> 5
35. TERRAIN BOUNDARY?  No – skip to 38. Yes: Boundary Poir	its?	47. Side damage 50. End damage	D±
36. BOUNDARY POINTS	XBP1		
	YBP1		
	XBP2		
37. SECONDARY FRICTION (			
If this Common Impact was with	a Motor Vehicle Not in Transpo.	rt, fill in the information below.	
Model Year:	Make:		DC, crush profile (C <sub>1</sub> through
Curb Weight:	lbs Model:		nd trajectory measurements is vehicle should be recorded
Cargo Weight:	lbs	above	
Total Occupant Weight: _	lbs VIN:		
Complete and ATTACH the app 6 and 6A-6P) to this Form.	ropriate schematic and damage di	mensions (Vehicle Form – page	

Delete sequential production number portion of VIN after case review



\* \*

LOGMSG - 23:23:30 EST // /86

\*\* PLEASE TYPE NEWS MEMO 399 - NETWORK CHANGES AND OUTAGES
LOGON AT 17:45:57 EST // /86 LINE ODB (3-1-OF5)

CMS/SP REL 4 // /86 VOO2

D (292) R/O

MAIL WAITING.

DASD 292 DETACHED

R:

-86 THE HOTLINE NUMBER IS

PLEASE TRY AGAIN...
EXECUTABLE COMMANDS:
MESSAGE SAMPLE84 NASS84 NASSMOD BARRIER4 CRASH POLES OLDMIS LOGOFF

>CRASH TERM OUTPUT OFF TERM OUTPUT OFF

ENTER TYPE OF CRASH RUN? (COMPLETE, ABBREVIATED, RERUN, PRINT, SMAC, OR END) >A

WILL THE INPUT FOR THIS RUN BE IN METRIC FORM? (ANSWER YES OR NO) >N

- 1. TITLE? >87 159B 01
- 2. CLASS/WEIGHTS? >5 3945 2 2818
- 3. CDC/PDOF # 1? >06BDEW5 180
- 4. CDC/PDOF # 2? >12FDEW2 360

\*\*\*\* SYNTAX ERROR \*\*\*\*
CHECK # OF ENTRIES, ILLEGAL CHARACTERS, ETC.

4. CDC/PDOF # 2? >12FDEW2 360

\*\*\*\* SYNTAX ERROR \*\*\*\*
CHECK # OF ENTRIES, ILLEGAL CHARACTERS, ETC.

- 4. CDC/PDOF # 2? >12FDEW2 0
- 5. VEHICLE 1 AND VEHICLE 2 STIFFNESS CATEGORIES? >5 9
- 6. REST & IMPACT? (Y OR N)
- 38. DAMAGE DIMENSIONS? (Y OR N)
- 42. END DAMAGE WIDTH #1 >72

43. END DAMAGE DEPTH #1 >45.1 40.85 39.35 36.35 33.85 15.3

44. END DAMAGE MIDPOINT OFFSET #1 >0

48. END DAMAGE WIDTH #2 >63

49. END DAMAGE DEPTH #2 >1 8 13.25 14.25 15 17.5

50. END DAMAGE MIDPOINT OFFSET # 2

CRASH INPUT COMPLETED THANK YOU VERY MUCH

DO YOU WANT THE PRINTOUT TO BE IN METRIC UNITS? (ANSWER YES OR NO)

SUMMARY OF CRASH3 RESULTS

87 159B 01

SPEED CHANGE (DAMAGE)

TOTAL LONG. LAT. ANG.
VEH#1 35.5 MPH 35.5 MPH -0.0 MPH 180.0 DEG.
VEH#2 49.7 MPH -49.7 MPH 0.0 MPH 0.0 DEG.

ENERGY DISSIPATED BY DAMAGE VEH#1 352208.3 FT-LB VEH#2 49107.5 FT-LB

ENTER TYPE OF CRASH RUN? (COMPLETE, ABBREVIATED, RERUN, PRINT, SMAC, OR END) >F

DO YOU WANT THE PRINTOUT TO BE IN METRIC UNITS? (ANSWER YES OR NO) >N

B7 1**59B** 01

VEHICLE # 1

************** * IMPACT * SPEED * MPH *		k******** k k K SF k	PEED CHAN	**************************************	**************************************
* * FWD *	* LAT *	TOTAL	LONG.	LATERAL	* RESULTS *
*******	*		k k k		* SPINOUT TRAJECTORIES AND * CONSERVATION OF LINEAR * MOMENTUM *
* * * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * *	k k	k k		* SPINOUT TRAJECTORIES AND * DAMAGE * *
*****	**************************************	* 35.5 }	* 35.5 :	*O_O	* DAMAGE DATA ONLY *

VEHICLE # 2

*****	IMPA SPE MF	EED #	*		k VGE K	* * * * * * * * * * * * * * * * * * *
****	FWD 3	LAT	TOTAL	LONG.	LATERAL	* RESULTS * *
*****		* * * *	k k	k k k	k - k k	* * SPINOUT TRAJECTORIES AND * * CONSERVATION OF LINEAR * * MOMENTUM * *
***		* 3	k k	* * *	k k	* SPINOUT TRAJECTORIES AND * DAMAGE *
*	****	*********** ) )	49.7	* -49.7 *	0.0	DAMAGE DATA ONLY *

# VEHICLE # 1

# VEHICLE # 2

TYPECA	ATEGORY	5		TYPEC	ATEGORY	2	
WEIGHT	3945.0	LBS.		WEIGHT	2818.0	LBS.	
CDC	SBDEW5			CDC1:	2FDEW2		
L	72.0	IN.			63.0	IN.	
C1	45.1	IN.		C1	1.0	IN.	
( )	40.8	IN.		02	8.0	IN.	
C3	39.3	IN.		C 3	13.2	IN.	
C4	36.3	IN.		C4	14.2	IN.	
C5	33.8	IN.		C5	15.0	IN.	
C4	15.3	IN.		C6	17.5	IN.	
	0.0			I)	0.0		
RHO	1.00		*	RHO	1.00		*
ANG	180.0	DEG.		ANG	0.0	DEG.	
D:	-3.5	IN.		D:	6.1	IN.	

# DIMENSIONS AND INERTIAL PROPERTIES

A1	===	58.1	INCHES	A2	===	46.3	INCHES
B1	==:	63.0	INCHES	B2	===	50.1	INCHES
TR1		63.7	INCHES	TR2	===	54.6	INCHES
I 1	===	41246.9	LB-SEC**2-IN	12	:==:	21521.5	LB-SEC**2-IN
Mi	==:	10.210	LB-SEC**2/IN	M2	===	7.293	LB-SEC**2/IN
XF1	<b>=</b>	101.8	INCHES	XF2	===	83.3	INCHES
XR1	***	-121.9	INCHES	XR2	****	-91.6	INCHES
YS1	===	39.9	INCHES	YS2		33.6	INCHES

ENTER TYPE OF CRASH RUN? (COMPLETE, ABBREVIATED, RERUN, PRINT, SMAC, OR END) >E

CRASH PROGRAM COMPLETED.

	PSU: 87 2. Case		3.	Record #: 1 - ACCIDENT DATA
4.	Trans Code: 1 5. Versi	on: 09.0		Accident Date: 782
		IDENTIFICA	ATIO	V
6.	Investigator I.D. Number			Type of Case
9.,	Blank		10.	Number of Vehicle Forms 227
11.	Number of Pedestrian Form	5 -00	12.	First Harmful Event 🔼
13.	Manner of Collision		14.	Relation to Roadway 1
		BIENT CON	DITI	DNS
15.	Time	11:10	16.	Light Conditions +
17.	Atmospheric Conditions			Relation to Junction Ot
19.	•		20.	Occurence in School Zone o
21.	School Bus Related		22.	Right/Left Turn on Red
			AL D	4TA
	Environmental Data	,		
			TMD	ICATORS
	SS8-Longitudinal Barrier			SS9-Crash Cushion
		,	27	8813
(C)	8814		27 .	8815 6

1. PSU: 87 2. Case #: 159B 3. Record #: 3 - VEHICLE DATA 4. Trans Code: 1 5. Version: 09.0 Accident Date: W86
6. Investigator I.D. Number 2 7. Vehicle Number 01 8. Number of Occupant Forms . 00 9. Vehicle Role 3 10. Manner of Leaving Scene 2 11. Hit and Run Involvement 0  EXTERIOR ITEMS
14. Vehicle Model
21. Second Tire
26. Override/Underride
29. Power Unit
33. First Trailer
40. Event Number (this Vehicle) 1 41. Object Contacted
46. Type of Damage Distribution W 47. Deformation Extent Guide . 05 48. Event Number (in Accident) . 1
51. Direction of Force 99 52. Deformation Location 9 54. Specific Vert/Lat Location . 9 55. Type of Damage Distribution 9 56. Deformation Extent Guide 99 57. Event Number (in Accident) . 2
58. L
61. L 62. C1 . 000 C2 . 000 C3 . 000 C4 . 001 C5 . 002 C6 . 007 63. +/- D
64. More Than Two CDC/TDC's 2 65. Special Use (this Trip) 0 66. Odometer Reading 123 67. Passenger Comp. Integrity . 1 67. Passenger Comp. Integrity 1 123 67. Passenger Comp. Integrity 1 123 67. Passenger Comp. Intruding Component Magnitude of Intrusion
Driver Area: Primary 68.00 69.0 Other 70.00 71.0 Passenger Area: Primary 72.00 73.0 Other 74.00 75.0
76. Steering Column Separation 77. Steering Rim Deformation 0
79. This Vehicle's Role
84. Vehicle Curb Weight 939 85. Vehicle Cargo Weight 9799  85. Source of Cargo Weight 9
87. Basis for Total Delta "V" 88. Total Delta "V" 34. 89. +/- Longitudinal Component of Delta "V" + 36. 90. +/- Lateral Component of Delta "V" + 00. 91. Energy Absorption 3522
92. Reported Speed

# ERROR MESSAGE

LEVEL REF#

If BODY TYPE (V17) equals 01-29, 40, 42, 50-69, 80-83 or 88, 2 DV05 then TYPE OF CARRIER (D16) should equal 0 or 9.

1. 4.	PSU: 87 2. Case #: 159B Trans Code: 1 5. Version: 09.0	3.	Record #: 4 - DRIVER DATA Accident Date : 446/86
	IDENTIFICA	ATIO	V
8.	Investigator I.D. Number	9.	Vehicle Number
	Months Exper. This Class		Estimated Mileage
	Total Mileage All Vehicles		Driver Education
	Time Since Last Training		Frequency Driving Road
	TRUCK/BUS OPI		
¥16.	Type of Operation or Carrier Driver's Classification		Federal Safety Regulated
	ACCIDENT PRE-CRASH	- IN	FORMATION
	Accident Type		Attempted Maneuver
	INVESTIGATOR D		
21.	Driver Related Factors OFFICIAL RE		
	1st Violation This Driver .		2nd Violation This Driver .
	Reported Alcohol Presence	25.	Alcohol Test Result
	Driver License Status	27.	Driver License Type
28.	Driver License Restrictions	29.	Prev. Speeding Convictions .
30.	Prev. Moving Violations	31.	Frev. Driving/Intoxicated
32.	Prev. Recorded Suspensions . ADMINISTRATI		Prev. Recorded Accidents
	Federal Aid System		Class Trafficway4
36.	Roadway Function Class 13		•
	ENVIRONMENT		
	Number of Travel Lanes 3		Lane Width
	Median Type		Trafficway Flow
			Right Shoulder Type
	Left Shoulder Type   Roadway Alignment		Cross Slope
47.	+/- Superelevation 79		Degree of Curvature 99.9
49.	+/- Grade Measurement 99		Roadway Profile
	Roadway Surface Type 2		Roadway Surface Condition 4
	Speed Limit45		Restriction of Roadway
	Traffic Control Device00		Traffic Device Functioning .
	Designated Truck System	ter tor II	
	INVESTIGATOR D	ETFF	MINET)
	Environment Related Factors 60	was a franch	· · · · · · · · · · · · · · · · · · ·

1. P50: 87	Accident Date: 1000/86
IDENTIFIC	ATTON
6. Investigator I.D. Number 2	7. Vehicle Number22
8. Number of Occupant Forms 03	9. Vehicle Role I
10. Manner of Leavino Scene	11. Hit and Run Involvement Q
EXTERIOR	ITEMS
12. Vehicle Model Year 82	13. Vehicle Make 99
	15. Registration of Vehicle \
14. Vehicle Model	17. Body Type
16. V.I.N 1P3/BP49D9CF	1/4 DOGY TYPE AND AND AND AND OF
18. Towed Trailing Unit	19. Seating Cap./Truck Voc 06-
Tire Condition: Ax1	
20. First Tire 1	4
21. Second Tire 2	
22. Third Tire O	0 2
23. Fourth Tire O	0 4
Type of Outsid	e Mirror
24. Left	_25. Right
26. Override/Underride	27. Rear Turn Signal Color 1
MEDIUM/HEAVY TRU	ICK AND BUS DATA
28. Cab Configuration 🗸	
Number a	+ Axles
29. Power Unit	30. First Trailer
31. Second Trailer	32. Third Trailer
Length of Tr	
33. First Trailer 0	34. Second Trailer
35. Third Trailer	36. Maximum Overall Width 000
	38. Type of Brake Actuation 0
37. Maximum Overall Length 000	Jour Type of Drake Michael Arra O
39. Gross Vehicle Weight Rating	/\ ("\ ("\ T ) \ " T \ ("\ T ) \ T \ T \ ("\ K )
DEFURMATION CL	ASSIFICATION
40. Event Number (this Vehicle)	41. Object Contacted
42. Direction of Force12	43. Deformation Location
44. Specific Long/Lat Location <u>D</u>	45. Specific Vert/Lat Location — E
46. Type of Damage Distribution — —	47. Deformation Extent Guide 02
48. Event Number (in Accident)	
Second Highest	Delta "V"
49. Event Number (this Vehicle)	50. Object Contacted
51. Direction of Force 12	52. Deformation Location
53. Specific Long/Lat Location . L	54. Specific Vert/Lat Location ———
55. Type of Damage Distribution	56. Deformation Extent Guide 01
57. Event Number (in Accident) . 3	
CRUSH FR	OFILE
	alta "V"
58. L	
- 59. C1 961 - C2 098 - C3 0 <u>1</u> 3	C4 014 C5 014 C6 018
50. +/- D	
Second Highes	st Delta "V"
62. C1 C2 C3	
63. +/- D	
	<del>-</del>
64. More Than Two CDC/TDC's	
66. Odometer Reading 579	or rassenger comp. integrity
FRONT OCCUPANT	
	Component Magnitude of Intrusion
·	3. 00.
	2. <b>%</b> 71. S
Passenger Area: Primary 72 Other 74	2. <u>409</u> 73. <i>9</i>
	75.0
Approximate the test test and the sent time sent time sent time and time an	to the last was the case and also also the last time the state was the time the time and the play pays and the fact that the dark has determined
76. Steering Column Separation . 🔎	77. Steering Rim Deformation O
78. Fire Occurrence	
Type of Most Severe 1	Impact This Vehicle
79. This Vehicle's Role T	80. Role of Other Vehicle
81. Rollover	82. Jackknife 0
83. Hazardous Cargo	
VEHICLE WE	IGHT ITEMS
84. Vehicle Curb Weight 925	85. Vehicle Carno Weinbt 000
86. Source of Cargo Weight 2	was variable was gar your gire vivie of
85. Source of Largo Weight RECONSTRUCTI	TOM DECIME -
COT Descripe for Forebook North HILL 4 -	CO Tet 1 Delt 10
87. Basis for Total Delta "V"	ADD TULES DELLES V GRANNARAN SECTION OF SECTION SECTIO
89. +/- Longitudinal Component of Delt	LCL V донавинанийнийнийнийн — 📶🛂
90. +/- Lateral Component of Delta "V"	·
91. Energy Absorption	
POLICE F	(
92. Reported Speed 992	
e*	

	PSU: 87 2. Case #: 159B Trans Code: 1 5. Version: 09.0		Record #: 4 - DRIVER DATA Accident Date : \$\infty\$ /86
8.	IDENTIFICATION INVESTIGATOR I.D. Number	7. 9.	Vehicle Number
10. 12. 14.	Months Exper. This Class 41  Total Mileage All Vehicles 150  Time Since Last Training 7  TRUCK/BUS QPI	11. 13. 15.	Estimated Mileage
16. 18.	Type of Operation or Carrier Operation or Carrier Operation Operation Operation Operation	17.	ــــــــــ Federal Safety Regulated
19.	Accident Type 20	20.	Attempted Maneuver 94-
21.	Driver Related Factors		
22. 24. 26. 28. 30.	1st Violation This Driver	23. 25. 27. 29. 31.	2nd Violation This Driver . 00 Alcohol Test Result
	Prev. Recorded Suspensions . To 	VE I	Prev. Recorded Accidents 9 TEMS Class Trafficway 4
36.	Roadway Function Class 13		
39. 41. 43. 45. 47. 51. 55.	Roadway Alignment	40. 42. 44. 48. 50. 52. 54.	Roadway Profile
	INVESTIGATOR D Environment Related Factors 00	ETER	MINED

	PSU: 87 2. Case #: 159B Trans Code: 1 5. Version: 09.0	3. Record #: 5 - OCCUPANT DATA Accident Date :				
***************************************		CATION				
Α.,	Investigator I.D. Number 2	7. Vehicle Number 02				
	Occupant Number					
		NTERVIEW				
	Occupant Age	10. Occupant Sex				
	Occupant Height	12. Occupant Weight				
	Occupant Role	14. Occupant Seat Position Ol				
		DETERMINED				
	Entrapment	16. Ejection				
	Ejection Area	18. Ejection Medium T				
	Medium Status					
		FICIAL SOURCES				
	Treatment - Mortality	21. Hospital Stay				
	Working Days Lost	and the state are productional transfer by the state of t				
	Child Restraint Make/Model 20	24. Type of Child Restraint 😙				
	Child Seat Orientation	26. Child Restraint Use O				
	ستر Manual Restraint Available . ـــــــــــــــــــــــــــــــــــ	28. Manual Restraint Use				
	Auto. Restraint Available o	30. Auto. Restraint Function 0				
	INJURY CLASS					
	OIC Body System/	AIS Injury Dir/Indir Source				
	Region Aspect Lesion Órgan	Severity Source Injury of Data				
1st	31. 🖍 32. 🚓 33. 🗘 34. X	35. 2 36. 04 37. i, 38. 07/				
2nd	_	43. 2 44. 97 45. 7 46. 07				
3rd	47. K- 48. L 49. E 50. F	51. 1 52. 09 53. 1 54. 07				
4th	55. KV 56. R 57. C 58. L	59. 1 60. 10 61. 1 62. 07				
5th		67. o 68. oo 69. o 70. ob				
6th	71. 72. 73. 74.	75. 76. <b>7</b> 7. 78.				
**********	OFFICIAL	RECORDS				
79.	Injury Severity	80. Time to Death				

	PSU: 87 Trans Cod	de: 1		#: 159B sion: 09.0		Record #: Accident	5 - OCCUPANT Date :	
				T T\E"       T       T       T	~^ <b>T</b> T#\K!			
	Investiga						umber	
	Occupant				. n	A C	стирова и и и и и и и	H B B B C No. Colonia
					NTERVI	FW		
							Sex	
	•	•••		30		•	Weight	· ·
	Occupant						Seat Position	
15.	Entrapmen	nt	* * * * * * * * * * *		16.	Ejection		n n u n A
17.	Ejection	Area			18.	Ejection	Medium	5
	Medium St							
20.	Treatment	t - Mort	ality	· · · · · <u>4</u>	21.	Hospital	Stay	
22.	Working D	Days Los	t	97				
				STIGATOR				
	Child Res					• •	hild Restraint	_
	Child Sea						traint Use	
	Manual Re						straint Use	
	Auto. Res			JURY CLASS			traint Function	
	OIC Body		4147	System/	AIS			
	Region	Aspect	lesion	Organ		ity Sour	•	of Data
	, , , , , , , , , , , , , , , , , , ,	1-1-25 to to to to		<u> </u>		•	4. 11 <sub>4</sub> 1 4.11 y	
1st	31.0	32. 0	33. 0	34. 0	35.	0 36.	00 37.0	<del>-38,</del> -00_
2nd	39.	40.	41.	42.	43.	44,	45.	46.
3rd	47.	48.	49.	50.	51.	52.	53.	54.
4th	55.	56.	57.	58.	59.	60.	61.	<b>62.</b>
5th	63.	64.	<b>65</b> .	66.	67.	68.	69.	70.
6th	71.	72.	73.	74.	75.	76.	77.	78.
···· ··· ··· ··· ·		**** **** **** **** **** ****		OFFICIAL	RECORD	5		
79.	Injury S	everity	* * * * * * * * * *		80.	Time to D	eath	00

	PSU: 87 Trans Code: 1	2. Case #: 159 5. Version: 09		d #: 5 - OCCUPANT dent Date :				
	IDENTIFICATION							
6.	Investigator I.D	. Number	- 7. Vehic	:le Number	<u>0</u> 2			
	Occupant Number							
	,							
	Occupant Age			pant Sex				
	Occupant Height			oant Weight	•			
	Occupant Role			oant Seat Positior				
	Entrapment			tion				
	Ejection Area		ia. Fleci	tion Medium				
17.	Medium Status		neetotal enu	RCES				
20	Treatment - Mort			ital Stay				
			க்க பென்ற.	темт елета пинини				
	22. Working Days Lost 77							
	Child Restraint			of Child Restrair				
25.	Child Seat Orien	tation		d Restraint Use	_			
27.	Manual Restraint	: Available . 2	28. Manua	al Restraint Use .				
29.	Auto. Restraint			. Restraint Functi	.on <u>O</u>			
		INJURY CLA			** *** *** *** *** *** *** *** *** ***			
	OIC Body	System		Injury Dir/Indir				
	Region Aspect	Lesion Organ	Severity	Source Injury	of Data			
lst	31. F 32. R	777 74 7	TTET: 4 A	36. 14/ 37. 1/	38, 07			
2nd	, _	33. 2 34. 0 41. 2 42. 1	'	36. 14/ 37. 1/ 44. 22/ 45. 1/	38. 07 46. 07			
3rd		49. A 50. I	_ /	52. 2k 53. 1	54. 07			
4th		57. 0 58. đ		60. 00 61.	62. 00			
5th		<b>65. 66.</b>		68. 69.	70.			
6th		73. 74.	75.	76. 77.	78.			
		OFFICIA	L <u>RE</u> CORDS					
79.	Injury Severity		80. Time	to Death	00			



68609.2N21 0200131111101101000002000 BB86120386030 B6870304861203 68609.2N20032077180314X69J7H8888888 0400611421400000011110000000000000010206BDEW0512629999992990072045041039 000001871591 010013871591 68609.2N036034015+0000033000000000001003007+01620123100000000000100410000399999136+36+00352200 010023871591 34133137499110023 99999 99921450000000 01000487159E 68609.2N201002 020013871598 68609.2N20312082091111P3BP49D9CF4488888000614421300000012410000000000000010112FDEW02120112FLLE301006300100B013 02002387159B 68609.2N014014018+000 100791000000000000200130000250002150-50+00049199 02000487159B 68609.2N2020316115015013200020010700000965300000934133137499110023 99999 99921455000000 020115871598 48609.2N2020126266160101000003010000003300FSLI204107NLF52@######CI109107KRCI110107000000000 020125871598 48609.2N300 02021587159B 68609.2N20202011300272040000040097984285500000000000 02022587159B 58609.2N100 68609.2N20203032420322060000040097000002200FRLB114107NIC1122107NIAI122107000000000 02031587159 68609.2N100 020325871598

990000871598 48609.2N000000100

CASE # 159

# SLIDE INDEX

NO.	ITEM	DIRECTION
1-4	Approach path V2	i
8	Approach path 1/2 Looking back	5
9-35	Exterior V,	
36-45	Interior	
46-61	Exterior .Va	·
42-43	Interior	
		<del>-  </del>
, ,		
<u></u>		
· <u>·</u>		_
		•
······································		
	<u> </u>	
<u> </u>		







































































59B (1986) #3























PSU87-159B (1986)#46

































PSU 87-159B #62 Best Available







PSU 87-159B #65 Best Available















